



INTERMERCATO[®]

HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS





One of the world's most versatile ranges of top quality lifting equipment for forestry, transport, construction and recycling.

WE ARE INTERMERCATO[®]



Follow us on social media





Intermercato's strength as a company is founded on an unrelenting focus on innovative solutions. Our mission is to always be at the forefront of technical development and to excel at developing new products from scratch, in close collaboration with our customers and suppliers.

INNOVATION


TEAMWORK

Quality assurance is of central importance to achieving our goals, and encompasses all of our employees and collaborators. Our efforts are guided by a strong focus on teamwork and optimized solutions, allowing us to continually improve our products and services in cooperation with you, the customer.



SUSTAINABILITY

For us at Intermercato, sustainability is, and always will be, one of our core values - both when it comes to our products and our business practices. In our view, environmental consciousness is a holistic and ongoing process. We always strive to find the best possible technological solutions from a "green" perspective.



CRANE FORESTRY

LOG GRABS.....	8
FOREST RESIDUE GRABS.....	9
LOG-BITE.....	9
HEAVY DUTY GRABS.....	10
UNIVERSAL GRABS.....	11
ROTATORS.....	12
ADAPTER FLANGES.....	12
SUSPENSIONS.....	12
CRANE SCALES.....	13

CRANE TRANSPORT

CLAMSHELL BUCKETS.....	15
DITCH GRABS.....	15
CLAMSHELL BUCKETS.....	16
ROTATORS.....	17
ROTATOR HOOKS.....	17
ADAPTER FLANGES.....	18
SUSPENSIONS.....	18
OUTRIGGER PADS.....	19
CRANE SCALES.....	20

CRANE RECYCLING & MATERIAL- HANDLING

CRANE SCALES.....	22-23
-------------------	-------

EXCAVATOR FORESTRY & LANDSCAPING

GRX GRABS.....	25-29
HEAVY DUTY GRABS.....	30
5-FINGER GRABS.....	31
TREE SHEARS.....	34
GRAPPLE SAWS.....	36
UNIVERSAL GRABS.....	40
EXCAVATOR ATTACHMENTS.....	40
LIGHT SORTING GRABS.....	41
POLE GRABS.....	42
ROTATORS.....	43
WORM DRIVES.....	43

EXCAVATOR DEMOLITION & SORTING

GRX GRABS.....	45
LIGHT SORTING GRABS.....	45
DEMOLITIONS GRABS.....	46
MULTI PURPOSE GRABS.....	46
EXCAVATOR ATTACHMENTS.....	47
ROTATORS.....	48
WORM DRIVES.....	48
SPECIAL SOLUTIONS.....	49



CRANE FORESTRY

*Timber trucks, Forwarders,
Skidders – you name it.
Our wide range of attachments
makes your job in the forest
easy and efficient.*



Weight



Gripping area



Log crane -
Recommended lifting
capacity



Max. load

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS



Log grabs TG Standard



The grab with optimal roll in- roll out properties
The robust design allows heavy lifts and the double guide bars give increased stability.

Art.No.	Model	Kg	m ²	tm
INT0003	TG 16-50	50	0,16	2
INT0006	TG 22	98	0,22	3
INT0007	TG 22-50	98	0,22	3
INT0011	TG 25	138	0,25	10

www.intermercato.com

Log grabs TG Ultra



Log grab for timber cranes in its own league

By using the latest material in SSABs development of high tensile wear resistant steel, Strenx 900 we have managed to combine low weight with unmatched strength.

Art.No.	Model	Kg	m ²	tm
INT0013	TG 28 Ultra	190	0,28	10-12
INT0014	TG 35 Ultra	190	0,35	10-12
INT0015	TG 40 Ultra	245	0,40	10-15
INT0016	TG 47 Ultra	290	0,47	10-15



**ACCESSORIZE YOUR
CRANE & GRAB WITH**



**INTERMERCATO INTELLIGENT
WEIGHING SYSTEMS**

Ideal for feeding chippers

Available with 3 or 4 claws and is used for all sorts of wood waste.

Forest residue grabs TG SR




Art.No.	Model	 Kg	 m ²	 tm
INT0030	TG 28 SR 3	300	0,30	12
INT0031	TG 28 SR 4	295	0,30	12
INT0033	TG 35 SR 4	380	0,38	15
INT0035	TG 42 SR 4	458	0,50	20



ADD ON

INT0405	Acc/valve kit TG 28 SR
INT0406	Acc/valve kit TG 35-42 SR
INT0408	Valve kit TG 35-42 SR
INT0409	Valve kit TG 28 SR



The all-round working tool

Very robust grab for pulp wood as well as single logs. Optimal roll-in roll-out properties to guarantee full load in every grab.

Log grabs Log-Bite



Art.No.	Model	 Kg	 m ²	 tm
INT0039	Log-Bite 500 HD	745	0,52	30
INT0040	Log-Bite 650 HD	900	0,65	35
INT0041	Log-Bite 750 HD	976	0,75	40



Log grabs Heavy Duty

Heavy duty log grab designed for the tough job
The perfect tool for intense and heavy applications.



Art.No.	Model	 Kg	 m²	 m
INT0069	TG 28 S (173/6)	275	0,30	12
INT0070	TG 28 S (270/12)	275	0,30	12
INT0072	TG 35 S (173/6)	340	0,38	15
INT0073	TG 35 S (270/12)	340	0,38	15
INT0075	TG 42 S	408	0,50	20
INT0077	TG 42 SM	500	0,50	25
INT0079	TG 55 S	760	0,65	30
INT0081	TG 55 SM	945	0,65	35
INT0084	TG 80 SM	1008	0,80	40
INT0089	TG 100 SM	1357	1,00	40
INT0359	TG 120 SM	1500	1,20	40

INT0405	Acc/valve kit TG 28 S
INT0406	Acc/valve kit TG 35-55 S
INT0408	Valve kit TG 35-55 S
INT0409	Valve kit TG 28 S

ADD ON



The 5- or 7 claw all-round tool from Intermercato
Only your imagination sets the limits of this extremely versatile grab.

Universal grabs 5-finger grab

Art.No.	Model	 Kg	 m ²	 tm
INT0032	TG 28 SR 5	306	0,30	12
INT0034	TG 35 SR 5	393	0,38	15
INT0036	TG 42 SR 5	480	0,50	20
INT0038	TG 55 SR 5	910	0,65	30



ADD ON

INT0405	Acc/valve kit TG 28 SR
INT0406	Acc/valve kit TG 35-42 SR
INT0408	Valve kit TG 35-42 SR
INT0409	Valve kit TG 28 SR



CRANE FORESTRY UNIVERSAL GRABS

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

Rotators For log cranes

Find the suitable rotator for your log crane

We offer our top quality IVR vane rotators and GV and G121 rotators from Indexator



Art.No.	Model	Kg	ton	tm
INT0172	IVR 3	16,5	3	3
INT0175	IVR 4.59	24	5	5
INT0176	IVR 4 FG	28	4,5	5
INT0179	IVR 5.68	28	5,5	7
INT0180	IVR 5.69	29	5,5	7
INT0182	IVR 5 F6	36	5,5	7
INT0184	RX 60 F	46	6	8
INT0186	GV 6	44,9	6	8
INT0511	GV 12-78/35 P	48,3	10	12
INT0187	GV 12	54,2	10	12
INT0188	GV 12.2	56,9	10	12
INT0189	GV 12 S	57,7	10	14
INT0191	GV 17 S	63,6	17	30
INT0192	GV 17 S - 203	63,8	17	30
INT0194	G121	57,1	10	14

FOR GRAPPLE SAW

INT0207	GV 124	59	10	12
INT0208	GV 124 S	66	10	14
INT0209	GV 124 S 203	66	10	14

www.intermercato.com

Adapter flanges

Art.No.	Model
INT0225	Flange 173-4-50-25
INT0226	Flange 173-4-59-30
INT0228	Flange 173-4-69/4-30
INT0229	Flange 173-6-59-30
INT0230	Flange 173-6-68/4-30
INT0231	Flange 173-6-69-30

Suspensions

Art.No.	Model
INT0307	FL 80-80-190
INT0308	FL 80-80-240
INT0309	FL 80-100-250
INT0310	FL 100-100-250



INTERMERCATO®

INTELLIGENT WEIGHING SYSTEMS

Intermercato Intelligent Weighing Systems - a revolution in dynamic weighing of hanging load.
Intermercato's crane scales help you do more in less time.
Using a unique algorithm, Intermercato IWS calculates weight load with the load in motion.



Wireless crane scales for timber trucks, forwarders & log loaders.

No other crane scale can match the accuracy and performance combined with easy operation of the Intermercato Intelligent Weighing System.

The system is legal for trade and certified according to MID for hanging load in motion. Your success starts with Intermercato Intelligent Weighing Systems.

Contact our skilled sales team to get a quote!



CRANE FORESTRY CRANE SCALES

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS



CRANE TRANSPORT

*High quality attachments
for Cargo cranes of
all sizes and makes.
We supply what you need
for loading on the go.*



Weight



Volume



Cargo crane -
Recommended lifting
capacity



Max. load


INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS



The small clamshell bucket for big jobs
TMC is low built to fit even the smallest cranes.
TMC-O is an open version.

Clamshell buckets TMC & TMC-O


Art.No.	Model	Kg	Lt	tm
INT0133	TMC 40	142	125	6-25
INT0134	TMC 50	152	150	6-25
INT0135	TMC 60	162	175	6-25
INT0136	TMC 80	202	200	6-25
INT0137	TMC O-40	127	125	6-25
INT0138	TMC O-50	137	150	6-25
INT0139	TMC O-60	147	175	6-25
INT0140	TMC O-80	187	200	6-25



Clamshell buckets TMC-D

Ditch grab
For digging ditches.

Art.No.	Model	Kg	Lt	tm
INT0495	TMC-D 40	-	-	6-25



www.intermercato.com

For digging, loading and unloading

Very strong clamshell bucket for tough jobs using a cargo crane. It's so robust that it can also be used for digging. Available in many sizes, also in a low-weight range for lighter applications.

Clamshell buckets TCB

Art.No.	Model	Kg	Lt	tm
INT0160	TCB 500	320	250	10-32
INT0161	TCB 650	344	350	10-32
INT0162	TCB 800	368	450	10-32
INT0163	TCB 1000	398	550	10-32



Clamshell buckets TGO

The bestseller TGO - Lot of bucket for your money!

Our open clamshell bucket with optional side plates is an all-round tool in its truest sense. The carefully tested, optimized design with shafts through the whole width of the body makes the TGO very durable and torsionally rigid.



Art.No.	Model	 Kg	 Lt	 tm
INT0150	TGO 500 - 2/SM	315	200	12-32
INT0151	TGO 650 - 2/SM	340	300	12-32
INT0152	TGO 800 - 2/SM	370	400	12-32
INT0153	TGO 900 - 2/SM	390	450	12-32
INT0154	TGO 1000 - 2/SM	405	500	12-32
INT0155	TGO 1200 - 2/SM	440	600	12-32

www.intermercato.com



SIDE PLATES

INT0164	TMC-O	
INT0165	TGO	

SET OF TEETH

INT0166	TMC 40	
INT0167	TMC-D 40	
INT0168	TCB 500-650	
INT0169	TCB 800-1000	

Find the suitable rotator for your lorry crane

We offer our top quality IVR vane rotators in many different sizes.

Art.No.	Model	 Kg	 ton	 tm
INT0172	IVR 3	16,5	3	8
INT0174	IVR 3 FS	21	3	8
INT0175	IVR 4.59	24	4,5	15
INT0177	IVR 4 FS	29	4,5	15
INT0179	IVR 5.68	28	5,5	20
INT0180	IVR 5.69	29	5,5	20
INT0514	IVR 5.69 (90g)	29	5,5	20
INT0181	IVR 5 F	36	5,5	20
INT0183	RX 60.69	37	6	30
INT0184	RX 60 F	46	6,0	30

Rotators For lorry cranes



www.intermercato.com

Rotator hook with Swedish quality hook from Gunnebo.

Art.No.	Model	 Kg	 ton
INT0313	RH 50-50	7	5
INT0314	RH 50-59	8,5	5
INT0315	RH 50-69	8	5
INT0518	RH 50-69/4	8	5
INT0316	RH 80-59	10,5	8
INT0317	RH 80-69	10	8
INT0512	RH 80-69/4	10	8
INT0318	RH 80-78	13,5	8
INT0321	ORH 80-59	9	8
INT0322	ORH 80-69	8,5	8
INT0323	ORH 100-78	14	10

Rotator hooks



Suspensions

Find a suitable adapter flange and suspension for your grab, rotator and crane



Art.No.	Model
INT0281	HIAB Mini
INT0282	HIAB 1 (80/45-76/25)
INT0284	80/25-76/25
INT0285	80/30-76/25
INT0288	HIAB 3 (80/45-76/30)
INT0290	HIAB 3-84/30
INT0291	80/30-76/30
INT0294	HMF 150-25
INT0296	HMF 150-30
INT0298	HMF 150-84/30
INT0299	HMF 4-25
INT0300	HMF 4-30/Palfinger TEC 7
INT0301	Palfinger 1-25
INT0303	Palfinger 1-30
INT0305	Palfinger TEC 5/30
INT0306	Palfinger 2
INT0307	FL 80-80-190

www.intermercato.com

Adapter flanges

Find a suitable adapter flange for your grab, rotator and crane

Art.No.	Model
INT0233	Flange 198-4-50-25
INT0234	Flange 198-4-59-30
INT0235	Flange 198-4-68/4-30
INT0236	Flange 198-4-69/4-30

Pads with practical handle. Made of 100% recycled material. No rust, no water absorption.

Outrigger pads

Art.No.	Model	 Kg	MAX TON
INT0325	SP 300x300x30	2,6	3
INT0326	SP 400x400x30	4,7	5
INT0327	SP 300x300x40	3,4	7
INT0328	SP 400x400x40	6,1	10
INT0329	SP 500x500x40	9,4	15
INT0330	SP 600x600x40	13,4	20
INT0331	SP 800x800x40	24,3	25
INT0332	SP 900x900x40	30,8	30
INT0333	SP 1000x1000x40	38	35
INT0334	SP 400x400x50	7,6	12
INT0335	SP 500x500x50	11,9	15
INT0336	SP 600x600x50	17,1	20
INT0337	SP 700x700x50	23,3	22
INT0338	SP 800x800x50	30,4	25
INT0339	SP 900x900x50	38,5	30
INT0340	SP 1000x1000x50	47,5	45
INT0341	SP 400x400x60	9,1	15
INT0342	SP 500x500x60	14,1	20
INT0343	SP 600x600x60	20,3	25
INT0344	SP 800x800x60	36,5	30
INT0345	SP 900x900x60	46,2	40
INT0346	SP 1000x1000x60	57	50



OTHER MODELS ON REQUEST

www.intermercato.com

Brackets made of stainless steel.

Can hold 1 or 2 pads.

Lock pin included.

Outrigger pads brackets

Art.No.	Model	 Kg
INT0349	Bracket SP 400 D	5,3
INT0350	Bracket SP 400 E	2,7
INT0351	Bracket SP 500 D	6,8
INT0352	Bracket SP 500 E	3,5
INT0353	Bracket SP 600 D	8
INT0354	Bracket SP 600 E	4,1



CRANE TRANSPORT OUTRIGGER PADS

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

INTERMERCATO®

HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

Intermercato Intelligent Weighing Systems - a revolution in dynamic weighing of hanging load. Intermercato's range of scales help you do more in less time. Using a unique algorithm, Intermercato IWS calculates weight load with the load in motion.



Wireless crane scales & hook scales for cargo cranes, grapple loaders etc.

No other crane scale can match the accuracy and performance combined with easy operation of the Intermercato Intelligent Weighing System.

The system is legal for trade and certified according to MID for hanging load in motion. Your success starts with Intermercato Intelligent Weighing Systems.

Contact our skilled sales team
to get a quote!





CRANE RECYCLING & MATERIAL HANDLING


Crane scales for all types of recycling jobs and material handling, such as container discharging and scrap metal handling.



Our weighing systems are legal for trade and certified according to MID for hanging load in motion.

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS





IWS Compact RC5



Wireless crane scales for all types of material handling and recycling

No other crane scale can match the accuracy and performance combined with easy operation of the Intermercato Intelligent Weighing System.

The system is legal for trade and certified according to MID for hanging load in motion. Your success starts with Intermercato Intelligent Weighing Systems.

Contact our skilled sales team to get a quote!



IWS Compact FM5



IWS Compact MH



IWS Compact RC5



Intermercato Intelligent Weighing Systems - a revolution in dynamic weighing of hanging load. Intermercato's range of scales help you do more in less time. Using a unique algorithm, Intermercato IWS calculates weight load with the load in motion.



INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

CRANE MATERIAL HANDLING CRANE SCALES



EXCAVATOR FORESTRY & LANDSCAPING

Heavy-duty attachments for excavators in forestry & landscaping. From our new grab series GRX and popular tree shears to rigid mounted rotators and worm drives.



Weight



Opening width



Recommended excavator weight - Rigid mounting




Max. load



Cutting diameter

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS





MAXIMUM STRENGTH. IDEAL WEIGHT.
For mini and midi excavators.



EXCAVATOR FORESTRY & LANDSCAPING GRX GRABS

GRX® LOG GRAB



Log grab with maximum strength and ideal weight for mini and midi excavators.

Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	Kg	mm	ton
INT0498	GRX 10	68	976	1,5-3
INT0461	GRX 15	91	930	3-6
INT0430	GRX 20	165	1262	5-9
INT0462	GRX 25	238	1424	8-13

ADD ON

INT0463	Valve mounted GRX 10/15
INT0464	Valve mounted GRX 20
INT0465	Valve mounted GRX 25
INT0466	Acc/valve mounted GRX 20
INT0467	Acc/valve mounted GRX 25

MOUNTED WITH ROTATOR



Model	Kg	mm	ton
GRX 10 / RMR 2	88	976	1,5-2,5
GRX 10 / RMR 3	96	976	1,5-3
GRX 15 / RMR 3	122	930	2-3,5
GRX 15 / RMR 6 C	145	930	3-6
GRX 20 / RMR 6 C	219	1262	3,5-6
GRX 20 / RMR 8	252	1262	5-8
GRX 25 / RMR 8	325	1424	6-8
GRX 25 / RMR 12	340	1424	7-12

BOLT KIT AND HOSE KIT INCLUDED

www.intermercato.com





EXCAVATOR FORESTRY & LANDSCAPING GRX GRABS

GRX® 4-FINGER GRAB



4-finger universal grab with maximum strength and ideal weight for mini and midi excavators.

Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	Kg	mm	ton
INT0501	GRX 10-4	64	970	1,5-3
INT0474	GRX 15-4	89	940	3-6
INT0475	GRX 20-4	163	1234	5-9
INT0476	GRX 25-4	236	1385	8-13

ADD ON

INT0463	Valve mounted GRX 10/15
INT0464	Valve mounted GRX 20
INT0465	Valve mounted GRX 25
INT0466	Acc/valve mounted GRX 20
INT0467	Acc/valve mounted GRX 25

MOUNTED WITH ROTATOR



Model	Kg	mm	ton
GRX 10-4 / RMR 2	84	970	1,5-2,5
GRX 10-4 / RMR 3	92	970	1,5-3
GRX 15-4 / RMR 3	125	940	2-3,5
GRX 15-4 / RMR 6 C	148	940	3-6
GRX 20-4 / RMR 6 C	222	1234	3,5-6
GRX 20-4 / RMR 8	255	1234	5-8
GRX 25-4 / RMR 8	332	1385	6-8
GRX 25-4 / RMR 12	347	1385	7-12

BOLT KIT AND HOSE KIT INCLUDED

**WE ALSO OFFER OTHER
CLAW OPTIONS! FOR
EXAMPLE 3-FINGER, AND
A SPECIAL POLE**

VERSION.

CONTACT US FOR A QUOTE!

5-finger universal grab with maximum strength and ideal weight for mini and midi excavators.
Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	Kg	mm	ton
INT0504	GRX 10-5	66	970	1,5-3
INT0441	GRX 15-5	95	940	3-6
INT0431	GRX 20-5	170	1234	5-9
INT0483	GRX 25-5	248	1385	8-13

INT0463	Valve mounted GRX 10/15
INT0464	Valve mounted GRX 20
INT0465	Valve mounted GRX 25
INT0466	Acc/valve mounted GRX 20
INT0467	Acc/valve mounted GRX 25

ADD ON

Model	Kg	mm	ton
GRX 10-5 / RMR 2	86	970	1,5-2,5
GRX 10-5 / RMR 3	94	970	1,5-3
GRX 15-5 / RMR 3	126	940	2-3,5
GRX 15-5 / RMR 6 C	149	940	3-6
GRX 20-5 / RMR 6 C	224	1234	3,5-6
GRX 20-5 / RMR 8	257	1234	5-8
GRX 25-5 / RMR 8	335	1385	6-8
GRX 25-5 / RMR 12	350	1385	7-12

BOLT KIT AND HOSE KIT INCLUDED



MOUNTED WITH ROTATOR



www.intermercato.com

7-finger universal grab with maximum strength and ideal weight for mini and midi excavators.
Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	
210107	GRX 10-7	AVAILABLE FROM FEBRUARY
210157	GRX 15-7	AVAILABLE FROM FEBRUARY
210207	GRX 20-7	AVAILABLE FROM FEBRUARY
210257	GRX 25-7	AVAILABLE FROM FEBRUARY

GRX®
7-FINGER GRAB

EXCAVATOR FORESTRY & LANDSCAPING GRX GRABS

GRX®

EG SORTING GRAB



Sorting grab with maximum strength and ideal weight for mini and midi excavators.

Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	 Kg	 mm	 ton
21010E	GRX 10 EG	68	949	1,5-3
21015E*	GRX 15 EG	102	1150	3-6
21020E*	GRX 20 EG	180	1300	5-9
21025E*	GRX 25 EG	263	1500	8-13

***CHECK VALVE INCLUDED**

ADD ON

510A20	Accumulator GRX 20 EG
510A25	Accumulator GRX 25 EG

www.intermercato.com



WE ALSO OFFER OTHER
CLAW OPTIONS! FOR
EXAMPLE 3-FINGER, AND
A SPECIAL POLE

VERSION.

CONTACT US FOR A QUOTE!

Excavator attachments



MOUNTED ON GRAB

Art.No.	Model
INT0242	S30-180 140x140
INT0244	S40 173/6 - 140x140
INT0246	S45 173/6 - 140x140
INT0247	S45 270/8
INT0249	S50 173/6 - 140x140
INT0250	S50 270/10
INT0252	S60 270/12 - 340/12
INT0254	S70 270/12 - 340/12

MOUNTED ON ROTATOR

Art.No.	Model
INT0271	S30-180/RMR 2-3
INT0272	S40/RMR 3-6
INT0273	S45/RMR 8-12 & XR300
INT0274	S50/RMR 8-12
INT0275	S60/RMR 12 & XR 300

LEHNHOFF ADAPTER

Art.No.	Model
140501	Lehnhoff Adapter SW01
140502	Lehnhoff Adapter SW03
140503	Lehnhoff Adapter SW08
140504	Lehnhoff Adapter SW10
140505	Lehnhoff Kard.Adapter SW01-80/30
140506	Lehnhoff Kard.Adapter SW03-80/30
140507	Lehnhoff Kard.Adapter SW08-80/30

**WORM DRIVE
ROTATORS, PAGE 43.**



Log grabs Heavy Duty

Log grab grab designed for the tough job
A versatile tool for intense and heavy applications.



Art.No.	Model	 Kg	 mm	 ton
INT0069	TG 28 S (173/6)	275	1490	8-12
INT0070	TG 28 S (270/12)	275	1490	8-12
INT0072	TG 35 S (173/6)	340	1880	10-16
INT0073	TG 35 S (270/12)	340	1880	10-16
INT0075	TG 42 S	408	1831	12-18
INT0077	TG 42 SM	500	1831	15-25
INT0079	TG 55 S	760	2438	16-20
INT0081	TG 55 SM	945	2445	20-30
INT0084	TG 80 SM	1008	2780	15-25
INT0085	TG 100 SM	1357	2948	
INT0357	TG 120 SM	1500	3115	

INT0405	Acc/valve kit TG 28 S
INT0406	Acc/valve kit TG 35-55 S
INT0408	Valve kit TG 35-55 S
INT0409	Valve kit TG 28 S

ADD ON



The 5-claw all-round tool from Intermercato
Only your imagination sets the limits of this extremely versatile grab.

Universal grabs 5-finger grab



Art.No.	Model	 Kg	 mm	 ton
INT0032	TG 28 SR 5	306	1500	8-12
INT0034	TG 35 SR 5	393	1890	10-14
INT0036	TG 42 SR 5	480	1895	12-16
INT0038	TG 55 SR 5	910	2425	14-18



ADD ON

INT0405	Acc/valve kit TG 28 SR
INT0406	Acc/valve kit TG 35-42 SR
INT0408	Valve kit TG 35-42 SR
INT0409	Valve kit TG 28 SR

www.intermercato.com

Excavator attachments

MOUNTED ON GRAB

Art.No.	Model
INT0242	S30-180 140x140
INT0244	S40 173/6 - 140x140
INT0246	S45 173/6 - 140x140
INT0247	S45 270/8
INT0249	S50 173/6 - 140x140
INT0250	S50 270/10
INT0252	S60 270/12 - 340/12
INT0254	S70 270/12 - 340/12

MOUNTED ON ROTATOR

Art.No.	Model
INT0271	S30-180/RMR 2-3
INT0272	S40/RMR 3-6
INT0273	S45/RMR 8-12 & XR300
INT0274	S50/RMR 8-12
INT0275	S60/RMR 12 & XR 300



LEHNHOFF ADAPTER

Art.No.	Model
140501	Lehnhoff Adapter SW01
140502	Lehnhoff Adapter SW03
140503	Lehnhoff Adapter SW08
140504	Lehnhoff Adapter SW10
140505	Lehnhoff Kard.Adapter SW01-80/30
140506	Lehnhoff Kard.Adapter SW03-80/30
140507	Lehnhoff Kard.Adapter SW08-80/30

**ROTATABLE
ATTACHMENT**

**CONTACT US FOR
A QUOTE!**

Tree shears TC E & T-Cut

One of our most popular and well established attachments
Our tree shears are suitable for tough jobs through its oversized construction. The cutting angle of the knife has been carefully tested to perfection.



Art.No.	Model	 Kg		 ton
INT0042	TC 210 E	252	210	4-10
INT0043	TC 210 E/250	252	250	4-10
INT0052	T-CUT 18	170	180	2-5
INT0053	T-CUT 18 R	160	180	2-5
INT0054	T-CUT 25	334	250	6-14
INT0055	T-CUT 25 R	280	250	6-14
INT0056	T-CUT 30	513	300	12-20
INT0057	T-CUT 30 R	465	300	12-20
INT0058	T-CUT 40	1020	400	18-36

www.intermercato.com

Accessories

COLLECTOR

Art.No.	Model
INT0088	TC-Collector TC 210E - T-Cut 25
INT0089	TC-Collector T-Cut 30 - T-Cut 40

TREE SUPPORT

Art.No.	Model
INT0090	Tree support TC 210 E (welded)
INT0091	Tree support T-Cut 25
INT0092	Tree support T-Cut 30
INT0093	Tree support T-Cut 40



MOUNTED ON TREE SHEAR

Excavator attachments

Art.No.	Model
140342	S40/TC 210E
140347	S45/TC 210E
140348	S45/T-CUT 25/30
140352	S50/TC 210E
140357	S50/T-CUT 25/30
140362	S60/T-CUT 25/30
140363-2	S60/T-CUT 40
140372-1	S70/T-CUT 30
140372-3	S70/T-CUT 40



www.intermercato.com



INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

EXCAVATOR FORESTRY & LANDSCAPING TREE SHEARS

Grapple saw IT450 GRX 20

Reliability and efficiency. Take your forestry and tree care operations to the next level.
GRX grab with bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450. Interlam IT450 saw cassette. Parker motor.



HARDOX®
IN MY BODY

	Art.No.	Model	 Kg	 ton	 ton
LOG GRAB	INT0519	IT450 GRX 20	235	450	5-9
	INT0520	IT450 GRX 20 / Teeth	240	450	5-9
4-FINGER GRAB	INT0521	IT450 GRX 20-4	233	450	5-9
	INT0522	IT450 GRX 20-4 / Teeth	238	450	5-9
5-FINGER GRAB	INT0523	IT450 GRX 20-5	240	450	5-9
	INT0524	IT450 GRX 20-5 / Teeth	245	450	5-9



OPTION WORM DRIVE ROTATOR

Art.No.	Model	 Kg	 ton	 ton
INT0515	WDR 9 GS	74	9	5-8

OPTION EXCAVATOR ATTACHMENT



STANDARD ON REQUEST



LEHNHOFF ON REQUEST



OILQUICK ON REQUEST

OPTION TEETH



NO TEETH



WITH TEETH

Reliability and efficiency. Take your forestry and tree care operations to the next level.

GRX grab with bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450. Hultdins S550 saw cassette. Parker motor.

Grapple saw SS550 GRX 25

HARDOX®
IN MY BODY



	Art.No.	Model	 Kg	 m	 ton
LOG GRAB	INT0525	SS550 GRX 25	340	650	8-12
	INT0526	SS550 GRX 25 / Teeth	345	650	8-12
4-FINGER GRAB	INT0527	SS550 GRX 25-4	338	650	8-12
	INT0528	SS550 GRX 25-4 / Teeth	343	650	8-12
5-FINGER GRAB	INT0529	SS550 GRX 25-5	350	650	8-12
	INT0530	SS550 GRX 25-5 / Teeth	355	650	8-12



OPTION WORM DRIVE ROTATOR

Art.No.	Model	 Kg	 m	 ton
INT0516	WDR 12 GS	117	15	7-14

OPTION EXCAVATOR ATTACHMENT



STANDARD ON REQUEST



LEHNHOFF ON REQUEST



OILQUICK ON REQUEST

OPTION TEETH



NO TEETH



WITH TEETH

EXCAVATOR FORESTRY & LANDSCAPING GRAPPLE SAWS

Grapple saw SS555 GX28

Reliability and efficiency. Take your forestry and tree care operations to the next level.

GRX grab with bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450. Hultdins S555 saw cassette. Parker motor.



HARDOX®
IN MY BODY

	Art.No.	Model	 Kg		 ton
LOG GRAB	INT0531	SS555 GX 28-50/5	660	650	14-18
	INT0532	SS555 GX 28-50/5 / Knives	665	650	14-18
4-FINGER GRAB	INT0533	SS555 GX 28-50/7	727	650	14-18
	INT0534	SS555 GX 28-50/7 / Knives	732	650	14-18
5-FINGER GRAB	INT0535	SS555 GX 28-50-1000	745	650	14-18
	INT0536	SS555 GX 28-50-1000 / Knives	750	650	14-18



OPTION WORM DRIVE ROTATOR

Art.No.	Model	 Kg	 ton	 ton
INT0517	WDR 14-2 GS	153	19	12-20

OPTION EXCAVATOR ATTACHMENT



STANDARD ON REQUEST



LEHNHOFF ON REQUEST



OILQUICK ON REQUEST

OPTION KNIVES



NO KNIVES



WITH KNIVES

Universal grabs GX

The original and bestseller from Intermercato

Our close to indestructible universal grab "cleaned up after the storm "Gudrun" and has ever since been frequently copied. Intermercato GX is truly convincing with its extremely robust design and powerful claws.



Art.No.	Model	 Kg	 mm	 ton
INT0098	GX 28-50/5	490	1485	12-18
INT0099	GX 28-50/7	557	1471	12-18
INT0100	GX 28-50-1000	575	1471	12-18
INT0102	GX 36-50/5	860	1800	18-24
INT0101	GX 36-50/7	727	1800	18-24
INT0104	GX 55-50/5	1660	2295	22-32
INT0513	GX 55-50/7	1805	2295	22-32

www.intermercato.com

Excavator attachments

MOUNTED ON GRAB

Art.No.	Model
INT0242	S30-180 140x140
INT0244	S40 173/6 - 140x140
INT0246	S45 173/6 - 140x140
INT0247	S45 270/8
INT0249	S50 173/6 - 140x140
INT0250	S50 270/10
INT0252	S60 270/12 - 340/12
INT0254	S70 270/12 - 340/12

MOUNTED ON ROTATOR

Art.No.	Model
INT0271	S30-180/RMR 2-3
INT0272	S40/RMR 3-6
INT0273	S45/RMR 8-12 & XR300
INT0274	S50/RMR 8-12
INT0275	S60/RMR 12 & XR 300

LEHNHOFF ADAPTER

Art.No.	Model
140501	Lehnhoff Adapter SW01
140502	Lehnhoff Adapter SW03
140503	Lehnhoff Adapter SW08
140504	Lehnhoff Adapter SW10
140505	Lehnhoff Kard.Adapter SW01-80/30
140506	Lehnhoff Kard.Adapter SW03-80/30
140507	Lehnhoff Kard.Adapter SW08-80/30

For all sorts of landscaping work

Intermercato's stone- & sorting grab has an unusually robust design for being categorized as light-weight. You basically get a lot of grab for value!

Sorting grabs TG EG

Art.No.	Model	 Kg	 mm	 ton
INT0111	TG 28 EG	355	1278	8-14
INT0112	TG 35 EG-800	580	1636	10-18
INT0113	TG 42 EG	520	1925	12-18
INT0114	TG 42 EG - 800	670	2107	12-18
INT0115	TG 55 EG	1125	2785	22-32



ACCUMULATOR & CHECK VALVE AS STANDARD



INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

EXCAVATOR FORESTRY & LANDSCAPING GRABS

Pole grab TG PG

For safe handling of poles and pipes

Intermercato's pole grab is extra wide and the inside of the claws have an interchangeable bolt-on surface layer made of PU for extra gentle handling.




Art.No.	Model	Kg	mm	ton
INT0130	TG 42 PG	693	1986	10-20



**NEED
ACCUMULATOR
& CHECK VALVE?**

**CONTACT US FOR
A QUOTE!**



Find the suitable rotator for your excavator

We offer our top quality RMR rotators and XR rotators from Indexator.

Art.No.	Model	Kg	ton	ton
INT0195	RMR 2	20	2	2,5
INT0196	RMR 3	28	5,0	3,5
INT0198	RMR 6 C	49	7	6
INT0199	RMR 8*	77	18	8
INT0200	RMR 12*	92	28	12
INT0201	RMR 16C*	164	38	20
INT0203	XR 300 LS*	77	30	6
INT0447	XR 350 LS*	121	50	12
INT0204	XR 400*	180	55	18
INT0205	XR 500*	216	70	25
INT0206	XR 600*	264	85	30

Rotators Rigid mounting



* Including oil distributor

www.intermercato.com

Find the suitable worm drive rotator for your excavator

Specially designed low ratio worm drives for safe and smooth operation.

Art.No.	Model	Kg	ton	ton
INT0366	WDR 7	42	4	2-6
INT0367	WDR 9-3/8"	72	9	5-8
INT0458	WDR 9-1/2"	75	9	5-8
INT0459	WDR 12	117	15	7-14
INT0368	WDR 14-2	153	19	12-20
INT0369	WDR 21-2	320	25	18-30

Rotators Worm drive



WORM DRIVE FOR GRAPPLE SAW

Art.No.	Model	Kg	ton	ton
INT0363	WDR 9 GS	74	9	5-8
INT0460	WDR 12 GS	117	15	7-14
INT0364	WDR 14-2 GS	153	19	12-20
INT0365	WDR 21-2 GS	320	25	18-30



EXCAVATOR FORESTRY & LANDSCAPING ROTATORS

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS



EXCAVATOR SORTING & DEMOLITION

*Heavy-duty attachments for earth
moving, demolition and beyond.
We meet your toughest demands.*



Weight



Opening width



Recommended excavator
weight - Rigid mounting



Max. load

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS



Sorting grab with maximum strength and ideal weight for mini and midi excavators.

Bent body in Strenx® 700 high strength structural steel. Claws in Hardox® 450

Art.No.	Model	 Kg	 mm	 ton
INT0498	GRX 10	68	976	1,5-3
INT0461	GRX 15	91	930	3-6
INT0430	GRX 20	165	1262	5-9
INT0462	GRX 25	238	1424	8-13

***CHECK VALVE INCLUDED**

INT0493	Accumulator GRX 20 EG	ADD ON
INT0494	Accumulator GRX 25 EG	



www.intermercato.com

For sorting and lighter demolition work

Intermercato's stone- & sorting grab has an unusually robust design for being categorized as light-weight. You basically get a lot of grab for value!

Art.No.	Model	 Kg	 mm	 ton
INT0111	TG 28 EG	355	1278	8-14
INT0112	TG 35 EG-800	580	1636	10-18
INT0113	TG 42 EG	520	1925	12-18
INT0114	TG 42 EG - 800	670	2107	12-18
INT0115	TG 55 EG	1125	2785	22-32

ACCUMULATOR & CHECK VALVE AS STANDARD

Sorting grabs TG EG



EXCAVATOR SORTING & DEMOLITION GRABS

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

Demolition grabs **TG DG**

LOTS of steel!

Intermercato's heavy duty TG DG is an incredibly robust demolition grab, designed with many laths and lots of steel. This, in combination with a carefully tested geometry and oversized cylinder makes it almost indestructible.



Art.No.	Model	 Kg	 mm	 ton
INT0121	TG 15 DG	190	1154	4-8
INT0122	TG 18 DG	340	1430	8-12
INT0123	TG 20 DG	495	1556	10-16
INT0124	TG 20 DGW	575	1556	10-16
INT0125	TG 25 DGL	810	1936	16-24
INT0126	TG 25 DG	900	1936	18-26
INT0127	TG 30 DG	1465	2347	22-30

ACCUMULATOR & CHECK VALVE AS STANDARD

www.intermercato.com

Multipurpose grabs **TG MP**

Sorting, digging, tearing - a true multi tool!

Extremely robust multigrab that combines the characteristics of a demolition/sorting grab and a clamshell bucket. The carefully tested geometry and oversized cylinder gives the grab an outstanding gripping force.



Art.No.	Model	 Kg	 mm	 ton
INT0105	TG 05 MP	86	904	1-4
INT0106	TG 15 MP	170	1160	4-8
INT0107	TG 18 MP	295	1418	8-12
INT0108	TG 20 MP	400	1560	12-16

CHECK VALVE AS STANDARD

**DEMOLITION &
MULTIPURPOSE
GRABS COMPLETE
WITH ROTATOR**

**CONTACT US FOR
A QUOTE!**



Excavator attachments

MOUNTED ON GRAB

Art.No.	Model
INT0242	S30-180 140x140
INT0244	S40 173/6 - 140x140
INT0246	S45 173/6-140x140
INT0247	S45 270/8
INT0249	S50 173/6 - 140x140
INT0250	S50 270/10
INT0252	S60 270/12 - 340/12
INT0254	S70 270/12 - 340/12

LEHNHOFF ADAPTER

Art.No.	Model
140501	Lehnhoff Adapter SW01
140502	Lehnhoff Adapter SW03
140503	Lehnhoff Adapter SW08
140504	Lehnhoff Adapter SW10
140505	Lehnhoff Kard.Adapter SW01-80/30
140506	Lehnhoff Kard.Adapter SW03-80/30
140507	Lehnhoff Kard.Adapter SW08-80/30

MOUNTED ON ROTATOR

Art.No.	Model
INT0271	S30-180/RMR 2-3
INT0272	S40/RMR 3-6
INT0273	S45/RMR 8-12 & XR300
INT0274	S50/RMR 8-12
INT0275	S60/RMR 12 & XR300



**GRAPPLE TILT
MECHANISM
CONTACT US FOR
A QUOTE!**

www.intermercato.com

INTERMERCATO ↑

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

EXCAVATOR SORTING & DEMOLITION GRABS

Rotators Rigid mounting



Find the suitable rotator for your excavator
We offer our top quality RMR rotators and XR rotators from Indexator.

Art.No.	Model			
INT0195	RMR 2	20	2	2,5
INT0196	RMR 3	28	5,0	3,5
INT0198	RMR 6 C	49	7	6
INT0199	RMR 8*	77	18	8
INT0200	RMR 12*	92	28	12
INT0201	RMR 16C*	164	38	20
INT0203	XR 300 LS*	77	30	6
INT0362	XR 350 LS*	121	50	12
INT0204	XR 400*	180	55	18
INT0205	XR 500*	216	70	25
INT0206	XR 600*	264	85	30

* Including oil distributor

www.intermercato.com

Rotators Worm drive



Find the suitable worm drive rotator for your excavator
Specially designed low ratio worm drives for safe and smooth operation.

Art.No.	Model			
INT0366	WDR 7	42	4	2-6
INT0367	WDR 9-3/8"	72	9	5-8
INT0458	WDR 9-1/2"	75	9	5-8
INT0459	WDR 12	117	15	7-14
INT0368	WDR 14-2	153	19	12-20
INT0369	WDR 21-2	320	25	18-30

WORM DRIVE FOR GRAPPLE SAW



Art.No.	Model			
INT0363	WDR 9 GS	74	9	5-8
INT0460	WDR 12 GS	117	15	7-14
INT0364	WDR 14-2 GS	153	19	12-20
INT0365	WDR 21-2 GS	320	25	18-30

SPECIAL SOLUTION? **NO PROBLEM!**

We have extensive experience in

*optimal solutions based on given
requirements and in joint consultation
with the customer.*

*Our focus is on constant improvement
of our products and service in a close
dialogue with our customers.*

SPECIAL SOLUTIONS



INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

INTERMERCATO®
HIGH PERFORMANCE LIFT & LOAD ATTACHMENTS

SENEX
HEAVY WORK MADE LIGHT

